Wednesday, 9/6/2006 3:43:59 PM Date Kim Johnston **Process Sheet** : LUG BRACKET **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Mh 06.0906 Job Number : 28435 : 10364 **Estimate Number Part Number** : D3046041 :NIA P.O. Number : D3046 REV. A UNDER REVIEW S.O. No. : N/A **Drawing Number** : 9/6/2006 This Issue : N/A Project Number Prsht Rev. · MA : SMALL /MED FAB Type **Drawing Revision** First Issue : NIA : 27466 Material **Previous Run** Each : 9/13/2006 **Due Date** Written By Checked & Approved By New issue SM/EC Comment **Additional Product** Job Number: **Description:** Seq. #: Machine Or Operation: D30461 Lug Bracket 1.0 Comment: Qty.: 6.0000 Each(s) 1.0000 Each(s)/Unit Total: LUG BRACKET Description Batch Qty Part Number Orpyac Lug Bracket D3046-1 2.0 D30463 Lug Bracket Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s) LUG BRACKET Pick: Description Batch Qty Part Number B 28450 N/A D3046-3 (Bell P/N: 206-052-106-1) Lug Bracket 5R + 515 Return Authorization # Bell original batch# SMALL & MEDIUM FAB RESOURCE 1 3.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 MF. 06/09/11/ 5AD 06:09:11 @ 1- Tranfer drill holes from D3046-3 into D3046-1 as per Dwg D3046 2- Counter sink inside holes of D3046-1 as per Dwg D3046 3- Deburr 4.0 MS20426AD57 Rivet Comment: Qty.: 10.0000 Each(s)/Unit Total: 60.0000 Each(s) Rivet Qty Part Number Description

3676

MS20426AD5-7

Rivet

Dart Aerospace Ltd

W/O:		WORK ORDER	CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
			6	··			
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _	
			QA:	N/C Close	d:	Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC Section A		Corrective Action Section B						
	STEP		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
						.*				
		*					·			

		• •								

NOTE: Date & initial all entries

Wednesday, 9/6/2006 3:43:59 PM Date: Kim Johnston Ûser: **Process Sheet** Drawing Name: LUG BRACKET Customer: CU-DAR001 Dart Helicopters Services Job Number: 28435 Part Number: D3046041 Job Number: Description: Seq. #: **Machine Or Operation:** SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Assemble as per Dwg D3046 INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 8.0 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock CX06/09/12 Location: QC21 FINAL INSPECTION/W/O RELEASE 10.0 Comment: FINAL IN SPECTION/W/O RELEASE 1 de 9.12 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>06/09/13</u>
			QA: N/C Closed:	Date:

NCR:		. Wo	ORK OR	DER NON-CONFORMANCE	E (NCR)			
	STEP	Description of NC Section A	Corrective Action Section B			Verification	Approval	
DATE			Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
06-G12	5.0	D3046-3 for installation onto D3046-1 lus. The -3 broke on the end.	B	fort is surp. Zestray.	.12		8	069.0
		Lug Ass'y Obesn't fit	05117		06.05/12	06-05-12	a	05676
C G. L	5.0	anto stube SAMPle, due to the contour. fit of the 03046-3 Bellbart and the thickness by i'll up of the 030461	18 agrin	clesign, so part properly mates with skill tube.	06.67.17.	16.09.12	BERLE	02-09-12
				41.				

NOTE: Date & initial all entries

01.08.23 D3046 DRAWING NO F BRACKET

HAWKESBURY, ONTARIO,

AEROSPACE L

SHEET

-우 REV. SCALE

ISSUE

NEW


01.08.23


 \triangleright


D3046 - 3

D3046-1

(BELL P/N 206-052-106-1)









TRANSFER DRILL Ø0.156 HOLES FROM D3046-3 TO D3046-1. C'SINK Ø0.286 x 100° D3046-1 INSIDE BORE. ASSEMBLE USING MS20426AD5-7 RIVETS. (10 PLACES)

CENTER D3046-3 ON D3046-1

D3046-041 LUG BRACKET ASSEMBLY

POWDER COAT WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3.

POWDER COAT BOTH PARTS SEPARATELY BEFORE ASSEMBLY.

RE-POWDER AFTER ASSEMBLY.

REMOVE ALL PAINT/SEALANT FROM D3046-3 BEFORE POWDER COATING.

UNCONTROLLED COPY SUBJECT TO AMENDMENT ENGINEERING

WITHOUT NOTICE

Copyright © 2001 by DART AEROSPACE LTD
PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


됐


DOCUMENT

ឆ



DESIGN	DRAWN BY	DART AERO: HAWKESBURY, OF	
CHECKED	APPROVED	DRAWING NO.	REV. A
1 4	I	D3046	SHEET 2 OF 2
DATE		TITLE	SCALE
01.08.23		LUG BRACKET	1:2





D3046-1 SHOULD BE BENT SO THAT IT IS WITHIN 0.010 OF THE OUTSIDE PROFILE OF THE D2600-1 EXTRUSION IN THE AREAS INDICATED 'X' ABOVE.

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

GENERAL NOTES

ASTM A36/A366/A569/A570 OR AISI 1010-1025 STEEL 0.100 THICK (12 GAUGE)

MIN. ULTIMATE TENSILE STRENGTH = 42 ksi

MIN. YIELD TENSILE STRENGTH = 28 ksi MATERIAL:

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.